ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

ne				Date of birth		
Age	Grade So	chool		Sport(s)		
edicines and Allergies:	Please list all of the prescription and over	er-the-co	unter m	nedicines and supplements (herbal and nutritional) that you are currently	taking	
you have any allergies? Medicines	☐ Yes ☐ No If yes, please id☐ Pollens	entify spe	ecific al	lergy below. □ Food □ Stinging Insects		
lain "Yes" answers belov	v. Circle questions you don't know the a	nswers t	0.			
NERAL QUESTIONS		Yes	No	MEDICAL QUESTIONS	Yes	
	restricted your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
below: ☐ Asthma ☐ A	nedical conditions? If so, please identify nemia Diabetes Infections			27. Have you ever used an inhaler or taken asthma medicine? 28. Is there anyone in your family who has asthma?		
Other:	11: " 1 " 10			29. Were you born without or are you missing a kidney, an eye, a testicle		
Have you ever spent the nig				(males), your spleen, or any other organ?		+
Have you ever had surgery? ART HEALTH QUESTIONS A		Yes	No	30. Do you have groin pain or a painful bulge or hernia in the groin area? 31. Have you had infectious mononucleosis (mono) within the last month?	-	+
	r nearly passed out DURING or	163	.10	32. Do you have any rashes, pressure sores, or other skin problems?		t
AFTER exercise?	y p			33. Have you had a herpes or MRSA skin infection?		t
,	ort, pain, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		T
chest during exercise?	or skip beats (irregular beats) during exercise)		35. Have you ever had a hit or blow to the head that caused confusion,		
	that you have any heart problems? If so,	-		prolonged headache, or memory problems?		+
check all that apply:				36. Do you have a history of seizure disorder? 37. Do you have headaches with exercise?		+
☐ High blood pressure☐ High cholesterol	☐ A heart murmur☐ A heart infection			38. Have you ever had numbness, tingling, or weakness in your arms or		+
☐ Kawasaki disease	Other:			legs after being hit or falling?		
Has a doctor ever ordered a echocardiogram)	a test for your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		
	eel more short of breath than expected			40. Have you ever become ill while exercising in the heat?		
during exercise?	plained esimuse?			41. Do you get frequent muscle cramps when exercising?		+
Have you ever had an unex	ort of breath more quickly than your friends			42. Do you or someone in your family have sickle cell trait or disease? 43. Have you had any problems with your eyes or vision?		╀
during exercise?	or or breath more quickly than your menus			44. Have you had any eye injuries?		+
ART HEALTH QUESTIONS A	BOUT YOUR FAMILY	Yes	No	45. Do you wear glasses or contact lenses?		
unexpected or unexplained	relative died of heart problems or had an sudden death before age 50 (including accident, or sudden infant death syndrome)?			46. Do you wear protective eyewear, such as goggles or a face shield? 47. Do you worry about your weight?		ļ
	have hypertrophic cardiomyopathy, Marfan			48. Are you trying to or has anyone recommended that you gain or		$^{+}$
syndrome, arrhythmogenic	right ventricular cardiomyopathy, long QT			lose weight?		
syndrome, short QT syndrom polymorphic ventricular tac	me, Brugada syndrome, or catecholaminergio hycardia?			49. Are you on a special diet or do you avoid certain types of foods?		
	have a heart problem, pacemaker, or			50. Have you ever had an eating disorder?		1
implanted defibrillator?				51. Do you have any concerns that you would like to discuss with a doctor?		-
Has anyone in your family has eizures, or near drowning?	nad unexplained fainting, unexplained			FEMALES ONLY 52. Have you ever had a menstrual period?		H
NE AND JOINT QUESTIONS		Yes	No	53. How old were you when you had your first menstrual period?		
Have you ever had an injury	to a bone, muscle, ligament, or tendon			54. How many periods have you had in the last 12 months?		
that caused you to miss a p	ractice or a game? ken or fractured bones or dislocated joints?			Explain "yes" answers here		
, ,	that required x-rays, MRI, CT scan,					
Have you ever had a stress						
Have you ever been told that	at you have or have you had an x-ray for neck stability? (Down syndrome or dwarfism)					
Do you regularly use a brac	e, orthotics, or other assistive device?					
Do you have a bone, muscle	e, or joint injury that bothers you?					
Do any of your joints becom	ne painful, swollen, feel warm, or look red?					_
	juvenile arthritis or connective tissue disease					

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503

9-2681/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Date of Ex	am					
Name				Date of bir	th	
	Ago	Grade	School			
Sex	Age	Grade	Scilooi	Sport(s)		
1. Type o	of disability					
2. Date o	of disability					
3. Classit	ification (if available)					
4. Cause	of disability (birth, d	lisease, accident/trauma, other)				
5. List th	ne sports you are inte	rested in playing				
					Yes	No
6. Do you	u regularly use a bra	ce, assistive device, or prosthet	ic?			
		ace or assistive device for sports				
		ressure sores, or any other skin	problems?			
		s? Do you use a hearing aid?				
	u have a visual impa					
		vices for bowel or bladder funct	ion?			
		scomfort when urinating?				
_	you had autonomic d					
			hermia) or cold-related (hypothermia) illne	SS?		
	u have muscle spasti		u madication?			
		ures that cannot be controlled b	y medication?			
Explain "ye	es" answers here					
Please indi	icate if you have ev	er had any of the following.				
					Yes	No
Atlantoaxia	al instability					
1						
X-ray evalu	uation for atlantoaxia	al instability				
	uation for atlantoaxia I joints (more than on					
	l joints (more than on					
Dislocated	l joints (more than on ding					
Dislocated Easy bleed	l joints (more than on ding					
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia	d joints (more than on ding spleen a or osteoporosis					
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia	d joints (more than on ding spleen a or osteoporosis controlling bowel					
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder	16)				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness	d joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or s in arms or hands in legs or feet	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Difficulty c Numbness Weakness Weakness Recent cha	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms of s or tingling in legs or in arms or hands in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Latex aller	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or s or tingling in legs or i in arms or hands i in legs or feet ange in coordination ange in ability to wal	or hands				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Retent cha Explain "ye	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or sor tingling in legs or si in arms or hands in legs or feet ange in coordination ange in ability to wal da rgy	or hands r feet k				
Dislocated Easy bleed Enlarged s Hepatitis Osteopenia Difficulty c Numbness Numbness Weakness Recent cha Recent cha Recent cha Retent cha Explain "ye	I joints (more than or ding spleen a or osteoporosis controlling bowel controlling bladder s or tingling in arms or sor tingling in legs or si in arms or hands in legs or feet ange in coordination ange in ability to wal da rgy	or hands r feet k	rs to the above questions are complete	and correct.		

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM Name Date of birth **PHYSICIAN REMINDERS** 1. Consider additional questions on more sensitive issues Do you feel stressed out or under a lot of pressure? Do you ever feel sad, hopeless, depressed, or anxious? • Do you feel safe at your home or residence? • Have you ever tried cigarettes, chewing tobacco, snuff, or dip? • During the past 30 days, did you use chewing tobacco, snuff, or dip? Do you drink alcohol or use any other drugs? • Have you ever taken anabolic steroids or used any other performance supplement? Have you ever taken any supplements to help you gain or lose weight or improve your performance? • Do you wear a seat belt, use a helmet, and use condoms? 2. Consider reviewing questions on cardiovascular symptoms (questions 5-14). **EXAMINATION** Height Weight □ Male □ Female BP Pulse Vision R 20/ L 20/ Corrected D Y \square N MEDICAL NORMAL ABNORMAL FINDINGS · Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency) Eyes/ears/nose/throat · Pupils equal Hearing Lymph nodes Heart^a Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) Pulses · Simultaneous femoral and radial pulses Lungs Abdomen Genitourinary (males only)b . HSV, lesions suggestive of MRSA, tinea corporis Neurologic o MUSCULOSKELETAL Neck Back Shoulder/arm Elbow/forearm Wrist/hand/fingers Hip/thigh Knee Leg/ankle Foot/toes **Functional** · Duck-walk, single leg hop ^aConsider ECG, echocardiogram, and referral to cardiology for abnormal cardiac history or exam. ^bConsider GU exam if in private setting. Having third party present is recommended.
^cConsider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion. ☐ Cleared for all sports without restriction ☐ Cleared for all sports without restriction with recommendations for further evaluation or treatment for _ □ Not cleared □ Pending further evaluation □ For any sports □ For certain sports _ Recommendations I have examined the above-named student and completed the preparticipation physical evaluation. The athlete does not present apparent clinical contraindications to practice and participate in the sport(s) as outlined above. A copy of the physical exam is on record in my office and can be made available to the school at the request of the parents. If conditions arise after the athlete has been cleared for participation, a physician may rescind the clearance until the problem is resolved and the potential consequences are completely explained to the athlete (and parents/quardians). Name of physician, advanced practice nurse (APN), physician assistant (PA) (print/type)__ Date of exam

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503
9-2681/0410

Phone _

Address

Signature of physician, APN, PA

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

Name	Sex 🗆 M 🗆 F Age Date of birth
☐ Cleared for all sports without restriction	
$\hfill\Box$ Cleared for all sports without restriction with recommendations for further evaluations for further evaluations and the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports without restriction with recommendations for further evaluations are considered as the sports of the sports are considered as the spo	aluation or treatment for
□ Not cleared	
☐ Pending further evaluation	
☐ For any sports	
☐ For certain sports	
Reason	
Recommendations	
EMERGENCY INFORMATION	
Allergies	
Other information	
HCP OFFICE STAMP	SCHOOL PHYSICIAN:
I OTTIGE STAIN	
	Reviewed on(Date)
	Approved Not Approved
	Signature:
	articipation physical evaluation. The athlete does not present apparent as outlined above. A copy of the physical exam is on record in my office
and can be made available to the school at the request of the paren	nts. If conditions arise after the athlete has been cleared for participation,
the physician may rescind the clearance until the problem is resolv (and parents/guardians).	ed and the potential consequences are completely explained to the athle
Name of physician, advanced practice nurse (APN), physician assistant (PA)) Date
	Phone
Signature of physician, APN, PA	
Completed Cardiac Assessment Professional Development Module	
DateSignature	

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71



Keeping Student-Athletes Safe

School athletics can serve an integral role in students' development. In addition to providing healthy forms of exercise, school athletics foster friendships and camaraderie, promote sportsmanship and fair play, and instill the value of competition.

Unfortunately, sports activities may also lead to injury and, in rare cases, result in pain that is severe or long-lasting enough to require a prescription opioid painkiller.¹ It is important to understand that overdoses from opioids are on the rise and are killing Americans of all ages and backgrounds. Families and communities across the country are coping with the health, emotional and economic effects of this epidemic.²

This educational fact sheet, created by the New Jersey Department of Education as required by state law (*N.J.S.A.* 18A:40-41.10), provides information concerning the use and misuse of opioid drugs in the event that a health care provider prescribes a student-athlete or cheerleader an opioid for a sports-related injury. Student-athletes and cheerleaders participating in an interscholastic sports program (and their parent or guardian, if the student is under age 18) must provide their school district written acknowledgment of their receipt of this fact sheet.

How Do Athletes Obtain Opioids?

In some cases, student-athletes are prescribed these medications. According to research, about a third of young people studied obtained pills from their own previous prescriptions (i.e., an unfinished prescription used outside of a physician's supervision), and 83 percent of adolescents had unsupervised access to their prescription medications.³ It is important for parents to understand the possible hazard of having unsecured prescription medications in their households. Parents should also understand the importance of proper storage and disposal of medications, even if they believe their child would not engage in non-medical use or diversion of prescription medications.

What Are Signs of Opioid Use?

According to the National Council on Alcoholism and Drug Dependence, 12 percent of male athletes and 8 percent of female athletes had used prescription opioids in the 12-month period studied.³ In the early stages of abuse, the athlete may exhibit unprovoked nausea and/or vomiting. However, as he or she develops a tolerance to the drug, those signs will diminish. Constipation is not uncommon, but may not be reported. One of the most significant indications of a possible opioid addiction is an athlete's decrease in academic or athletic performance, or a lack of interest in his or her sport. If these warning signs are noticed, best practices call for the student to be referred to the appropriate professional for screening,⁴ such as provided through an evidence-based practice to identify problematic use, abuse and dependence on illicit drugs (e.g., Screening, Brief Intervention, and Referral to Treatment (SBIRT)) offered through the New Jersey Department of Health.

What Are Some Ways Opioid Use and Misuse Can Be Prevented?

According to the New Jersey State Interscholastic Athletic Association (NJSIAA) Sports Medical Advisory Committee chair, John P. Kripsak, D.O., "Studies indicate that about 80 percent of heroin users started out by abusing narcotic painkillers."

The Sports Medical Advisory Committee, which includes representatives of NJSIAA member schools as well as experts in the field of healthcare and medicine, recommends the following:

- The pain from most sports-related injuries can be managed with non-narcotic medications such as acetaminophen, non-steroidal anti-inflammatory medications like ibuprofen, naproxen or aspirin. Read the label carefully and always take the recommended dose, or follow your doctor's instructions. More is not necessarily better when taking an over-the-counter (OTC) pain medication, and it can lead to dangerous side effects.
- Ice therapy can be utilized appropriately as an anesthetic.
- Always discuss with your physician exactly what is being prescribed for pain and request to avoid narcotics.
- In extreme cases, such as severe trauma or post-surgical pain, opioid pain medication should not be prescribed for more than five days at a time;
- Parents or guardians should always control the dispensing of pain medications and keep them in a safe, non-accessible location; and
- Unused medications should be disposed of immediately upon cessation of use. Ask your pharmacist about drop-off locations or home disposal kits like Deterra or Medsaway.

According to NJSIAA Sports
Medical Advisory Committee chair,
John P. Kripsak, D.O., "Studies
indicate that about 80 percent of
heroin users started out by abusing
narcotic painkillers."






STATE OF NEW JERSEY DEPARTMENT OF HEALTH

NJSIAA SPORTS MEDICAL **ADVISORY COMMITTEE**





Even With Proper Training and Prevention, Sports Injuries May Occur

There are two kinds of sports injuries. Acute injuries happen suddenly, such as a sprained ankle or strained back. Chronic injuries may happen after someone plays a sport or exercises over a long period of time, even when applying overuse-preventative techniques.5

Athletes should be encouraged to speak up about injuries, coaches should be supported in injury-prevention decisions, and parents and young athletes are encouraged to become better educated about sports safety.6

What Are Some Ways to Reduce the Risk of Injury?

Half of all sports medicine injuries in children and teens are from overuse. An overuse injury is damage to a bone, muscle, ligament, or tendon caused by repetitive stress without allowing time for the body to heal. Children and teens are at increased risk for overuse injuries because growing bones are less resilient to stress. Also, young athletes may not know that certain symptoms are signs of overuse.

The best way to deal with sports injuries is to keep them from happening in the first place. Here are some recommendations to consider:



PREPARE Obtain the preparticipation physical evaluation prior to participation on a school-sponsored interscholastic or intramural athletic team or squad.



CONDITIONING Maintain a good fitness level during the season and offseason. Also important are proper warm-up and cooldown exercises.



PLAY SMART Try a variety of sports and consider specializing in one sport before late adolescence to help avoid overuse injuries.



ADEQUATE HYDRATION Keep the body hydrated to help the heart more easily pump blood to muscles, which helps muscles work efficiently.



TRAINING Increase weekly training time, mileage or repetitions no more than 10 percent per week. For example, if running 10 miles one week, increase to 11 miles the following week. Athletes should also cross-train and perform sport-specific drills in different ways, such as running in a swimming pool instead of only running on the road.



REST UP Take at least one day off per week from organized activity to recover physically and mentally. Athletes should take a combined three months off per year from a specific sport (may be divided throughout the year in one-month increments). Athletes may remain physically active during rest periods through alternative low-stress activities such as stretching, yoga or walking.



PROPER EQUIPMENT Wear appropriate and properly fitted protective equipment such as pads (neck, shoulder, elbow, chest, knee, and shin), helmets, mouthpieces, face guards, protective cups, and eyewear. Do not assume that protective gear will prevent all injuries while performing more dangerous or risky activities.

Resources for Parents and Students on Preventing Substance Misuse and Abuse

The following list provides some examples of resources:

National Council on Alcoholism and Drug Dependence - NJ promotes addiction treatment and recovery.

New Jersey Department of Health, Division of Mental Health and Addiction Services is committed to providing consumers and families with a wellness and recovery-oriented model of care.

New Jersey Prevention Network includes a parent's quiz on the effects of opioids.

Operation Prevention Parent Toolkit is designed to help parents learn more about the opioid epidemic, recognize warning signs, and open lines of communication with their children and those in the community.

Parent to Parent NJ is a grassroots coalition for families and children struggling with alcohol and drug addiction.

Partnership for a Drug Free New Jersey is New Jersey's anti-drug alliance created to localize and strengthen drug-prevention media efforts to prevent unlawful drug use, especially among young people.

The Science of Addiction: The Stories of Teens shares common misconceptions about opioids through the voices of teens.

Youth IMPACTing NJ is made up of youth representatives from coalitions across the state of New Jersey who have been impacting their communities and peers by spreading the word about the dangers of underage drinking, marijuana use, and other substance misuse.

- References ¹ Massachusetts Technical Assistance Partnership for Prevention
 - ² Centers for Disease Control and Prevention
 - ³ New Jersey State Interscholastic Athletic
- Association (NJSIAA) Sports Medical Advisory Committee (SMAC)
- ⁴ Athletic Management, David Csillan, athletic trainer, Ewing High School, NJSIAA SMAC
- 5 National Institute of Arthritis and Musculoskeletal and Skin Diseases
- ⁶ USA TODAY
- ⁷ American Academy of Pediatrics

An online version of this fact sheet is available on the New Jersey Department of Education's Alcohol, Tobacco, and Other Drug Use webpage. Updated Jan. 30, 2018.

Use and Misuse of Opioid Drugs Fact Sheet

Student-Athlete and Parent/Guardian Sign-Off

In accordance with *N.J.S.A.* 18A:40-41.10, public school districts, approved private schools for students with disabilities, and nonpublic schools participating in an interscholastic sports program must distribute the *Opioid Use and Misuse*<u>Educational Fact Sheet</u> to all student-athletes and cheerleaders. In addition, schools and districts must obtain a signed acknowledgement of receipt of the fact sheet from each student-athlete and cheerleader and the parent or guardian.

Name of School: St Mary HS
I/We acknowledge that we received and reviewed the Educational Fact Sheet on the Use and Misuse of Opioid Drugs.
Student Name (print)
Current Sport:
Student Signature:
Parent/Guardian Signature:
Dato
Date:

REQUEST FOR MEDICATION TO BE ADMINISTERED BY SCHOOL NURSE

Student Name:		
D.O.B	Grade:	
PARENTAL REQUEST		
I, the parent/guardian of medication prescribed by my of at the prescribed time.	, request child's physician be administered to my child	st that the by the school nurse
brought to school in its origina	oly of the medication to the school nurse. The sall container appropriately labeled by my pharm	macy.
Signature of Parent/Guardian	Date	
Address	Phone	
PHYSICIAN'S STATEMEN	<u>NT</u>	
	of ving medication during school hours.	it is necessary
DIAGNOSIS:		
MEDICATION & DOSAGE:		
PURPOSE OF MEDICATION	N & POSSIBLE SIDE EFFECTS:	
I authorize the school nurse to	o administer the above medication.	
Signature of Physician	Date	
Print Physician Name & Addr	ress Phone	